



Y75

Y 75

The ingenious design of the Y75 Motor Yacht offers efficient, agile cruising, enabling you to plane at lower speeds. Her deck layout provides you with a variety of options to entertain or relax including a walkthrough foredeck with U-shaped seating and sunbathing area. She is also sociable whilst underway with seating either side of the upper helm. The flybridge has space aft for free standing furniture or to fit a crane and store a tender.

O design inteligente do Y75 Motor Yacht oferece um cruzeiro ágil e eficiente, permitindo deslizar em baixas velocidades. O layout do seu deck oferece várias opções de entretenimento e relaxamento, incluindo um espaço de passeio à proa com área de estar e banho de sol em U. Também permite socializar durante a viagem, junto ao piloto no espaçoso flybridge, que além de varios assentos, também permite à instalação de um guindaste ou escaler.

El ingenioso diseño del Flybridge Y75 Motor Yacht ofrece cruceros eficientes y ágiles, lo que le permite planear a velocidades más bajas. La disposición de la cubierta le proporciona una variedad de opciones para entretenimiento o relax, incluyendo una cubierta practicable con asientos en forma de U y zona de solárium. El yate también es sociable en plena navegación, con asientos ambas bandas del timón superior. El flybridge tiene espacio en popa para muebles independientes o para instalar una grúa y estibar un auxiliar.

Y75机动游艇的设计灵巧，提供高效、灵活的巡航，使您能够以较低的速度掠过水面。她的甲板配置为您提供多种选择，无论是娱乐或放松——包括一段可走过的前甲板附带U形座位和日光浴区。上舵两侧的座位，也适合航行中的交际。飞桥有船艙空间适合置放独立家具，亦适合起重机和储放补给艇。

Das ausgeklügelte Design der Y75 Motor Yacht lädt zum effizienten, agilen Cruising ein und macht schon bei niedrigeren Geschwindigkeiten Gleitfahrt möglich. Die Deckgestaltung bietet Ihnen verschiedene Optionen für Erholung oder Unterhaltung, u.a. einen Durchgang zum Vordeck mit U-Sitzgruppe und Bereich zum Sonnenbaden. Dank ihrer Sitze auf jeder Seite des oberen Steuerstands ist sie auch unter Fahrt sehr komfortabel. Die Flybridge bietet achtern Platz für freistehende Möblierung oder den Einbau eines Krans und zum Verstauen eines Beiboots.












Her elegant exterior conceals a voluminous interior. Natural light flows in to her main deck through extended window lines and a unique full-height window on the port side to make the free standing dining area a spectacular place to entertain. Forward on the lower deck, all three guest cabins are en suite whilst a dedicated staircase leads to the owner's stateroom amidships via a private lobby area.

Seu exterior elegante abriga um interior espaçoso. A iluminação natural flui para o convés principal através de extensas linhas de vigias, além de uma janela exclusiva com altura total a bombordo, criando na área de refeições independente uma espetacular área de entretenimento. À vante do convés inferior, todas as três cabines de hóspedes são suítes, com escadaria exclusiva levando à cabine do proprietário a meia nau através de uma área privativa.

Su elegante exterior esconde un interior voluminoso. La luz natural entra en su cubierta principal a través de ventanas de líneas largas y una singular ventana de altura completa en la banda de babor, que convierte la zona de comedor independiente en un lugar espectacular para entretener a sus invitados. A proa en la cubierta inferior, las tres cabinas tienen baño en suite, mientras que una escalera exclusiva conduce a la suite del propietario en crujía a través de un vestíbulo privado.

她优雅的外表掩盖了恢弘的内装。自然光洒在她的主甲板上，通过扩展的窗线和左舷独特的全高度窗口，使自由站立用餐区成为一个绝佳的娱乐场所。船艏下层甲板有三个客舱套房且都设有浴室，也有专用楼梯通过私人大堂前往船艉主卧舱。


Unter der eleganten Außengestaltung versteckt sich ein geräumiges Interieur. Durch verlängerte Fensterlinien und ein einzigartiges Fenster in voller Höhe auf der Backbordseite wird das Hauptdeck von Tageslicht durchflutet - der freistehende Essbereich wird so zu einem überwältigenden Bereich für Gäste. Vorne im Unterdeck befinden sich alle drei Gästekabinen mit eigenem Bad. Die Eignerkabine mittschiffs ist über einen eigenen Niedergang durch eine private Lobby erreichbar.



FLYBRIDGE



MAIN DECK



LOWER DECK

PRINCIPAL DIMENSIONS

Length overall (incl. pulpit)	80ft 9in (24.67m)
Length overall (excl. pulpit)	79ft 7in (24.25m)
Beam	18ft 11in (5.76m)
Draft	5ft 8in (1.72m)
Displacement approx.	47,700kg (105,160lbs)*
Fuel capacity	1,320 gal/1,585 US gal/6,000l
Water capacity (incl. calorifier)	297 gal/356 US gal/1,350l

DECK FITTINGS

- Teak-laid transom platform, cockpit deck, flybridge, flybridge stairway, side decks and foredeck walkthrough
- Self-stowing 50kg/110lbs Delta anchor with 100m of chain
- Reversible hydraulic anchor winch with foredeck, main helm and flybridge controls
- Twin electric sternline mooring winches
- Stainless steel cleats, fairleads and handrails
- Foredeck seating and sunbathing area
- Storage lockers for rope, fenders and foredeck sunbed cushions
- Telephone connection point
- Stern docking lights
- LED deck level lighting
- Freshwater deck/anchor wash

COCKPIT

- U-shaped seating with teak folding table
- Twin transom gates leading to bathing platform with electro-hydraulic raise/lower mechanism, foldaway swimming ladder, hot and cold shower
- Transom seat in teak with storage locker
- Transom doors giving direct access to lazarette and crew area
- Lockable gas strut assisted hatch to engine room
- Life raft storage
- Remote control 4m telescopic passerelle with folding handrail
- Cockpit cover

FLYBRIDGE

- Helm position with powered raise/lower console, repeat navigation equipment including radar/chartplotter and engine instrumentation
- Twin adjustable helm seats
- U-shaped seating area with folding teak table
- L-shaped seat (converts to sunpad)
- Sunpad with storage below
- Radio/MP3 with waterproof speakers
- Wetbar including sink with electric barbecue and drawer refrigerator
- Optional crane (450kg SWL)
- Console and seat covers

LOWER HELM POSITION

- Twin helm seats with electric adjustment for helmsman
- L-shaped seat to port
- Helmsman's door to side deck and electric opening window to port
- Full engine instrumentation including fuel gauges, exhaust temperature, fuel contamination alarms, rudder position indicator
- Navigation system including colour radar, GPS and chartplotter (2 displays), VHF/RT, speed and distance log, echo sounder with alarms, autopilot and high speed magnetic compass
- Controls for bow thruster, windscreen wipers, bilge pump and trim tabs (with indicator)

- Intercom to flybridge
- Automatic foghorn with loudhailer
- Chart storage
- 24v and 240v control panel
- Red night lighting
- Toughened glass screen (clear for night vision)

DECK SALOON

- U-shaped seating area with two-seater sofa and coffee table
- Entertainment centre incorporating 55" UHD LED TV on electric raise/lower mechanism and DVD, radio/MP3 system with surround sound system
- Sideboard unit with bottle and glass storage and refrigerator
- Dining area (8 people) with full-height panoramic window

GALLEY

- 4-zone ceramic hob
- Combination microwave/convection oven with grill
- Twin stainless steel sinks with mixer tap
- Full-height refrigerator/deep freeze
- Icemaker
- Dishwasher
- Storage lockers, cupboards and drawers
- Electrically operated sliding glass partition from aft saloon

ACCOMMODATION

- All cabins and bathrooms feature opening portholes and air conditioning outlets
- All cabins feature 220/240v power points
- All mattresses pocket sprung
- All bathrooms feature full shower stalls, electric freshwater toilets, extractor fan and 240v shaver points

OWNERS STATEROOM

- Large double bed with bedside tables and drawers below
- Dressing area with wardrobes with hanging and drawer storage
- Dressing table with chair
- Sofa
- Built-in safe
- 40" HD LED TV and DVD, radio/MP3 system with surround sound
- En suite bathroom
- Dedicated access with lobby area

FORWARD GUEST CABIN

- Large double bed with drawers below
- Large wardrobe with shelves
- Dressing table with stool
- Deck hatch
- Radio/MP3
- En suite bathroom

ENGINES

MAN V12-1800 (2 x 1800mhp)	Speed range: 34-36 knots†
----------------------------	---------------------------

STARBOARD GUEST CABIN

- Large double bed with drawers below (with the option of powered sliding berths)
- Wardrobe with shelves
- Dressing table with stool
- 49" UHD LED TV and DVD, radio/MP3
- Storage lockers
- Bedside tables with storage
- En suite bathroom with day access

PORT GUEST CABIN

- Two single beds with drawers below (with the option of powered conversion to double)
- Wardrobe with shelves
- Storage lockers
- Bedside table with storage
- En suite bathroom

LOWER ACCOMMODATION LOBBY

- The lobby area has a full-height storage cupboard with the option of fitting an additional washer/dryer

CREW QUARTERS

- Two single beds, wardrobe and storage lockers
- Bathroom with separate stall shower, electric freshwater toilet and washbasin
- Utility area (optional additional crew cabin)
- A combination washer/dryer is fitted in crew utility space
- Access to engine room

POWER AND DRIVE SYSTEMS

- 5-bladed propellers in nickel aluminium bronze
- Bow thruster (240kgf/529lbf)
- Power-assisted electro-hydraulic steering system with hydraulic back-up
- Electronic engine and gear shift control system
- Dripless shaft seals
- Engine room extractor fan with electronic time delay

ELECTRICAL SYSTEM

- 24 Volt:
- 4 x heavy duty batteries for engine starting
- 6 x heavy duty auxiliary batteries
- 2 x 60 amp battery charger charges both banks of batteries via an automatic switch charging system
- Remote battery master switches with control switch at main panel
- LED lighting throughout

220/240 Volt:

- 22.5kW diesel generator in own sound shield with water cooled specially silenced exhaust
- 2 x 63 amp shore support inlet
- Earth leakage safety trip, polarity check system, circuit breaker on all circuits
- Power points in all areas

FUEL SYSTEM

- Twin fuel tanks (in NS8 marine grade alloy) with interconnection system giving 1320 gal/1585 US gal/6000l capacity
- Fuel fillers on port and starboard side decks
- High capacity duplex fuel filters/water traps with audible and visual fuel contamination warning system
- Remote fuel cocks in cockpit locker

WATER SYSTEM

- 253 gal/304 US gal/1150l plus 44 gal/52 US gal/200l hot water calorifier, heated by engines and 240v immersion heater
- Water level gauge
- Electric freshwater WC system with 99 gal/119 US gal/450l holding tank

AIR CONDITIONING

- 165,000Btu chilled water system with outlets in all accommodation areas and incorporating reverse cycle heating with linked windscreen demist system. Suitable for tropical conditions (40°C)

FIRE EXTINGUISHERS

- Automatic/manual override fire extinguishers in engine room with warning system at both helm positions and incorporating engine air vent closure system
- Hand-operated fire extinguishers in all cabins, galley, crew and lower helm

BILGE PUMPS

- Automatic electric bilge pumps
- High capacity manual bilge pumps with valve system and suction points in same areas

OTHER ITEMS SUPPLIED AS STANDARD

- Set of cutlery, crockery and glasses (8)
- Set of towels (8 large, 8 small)
- Ensign staff
- Fenders (8) and warps (4)
- First aid kit
- Set of manuals

	
主要参数	
总长（包括艇尖扶手）	80 英尺 9 英寸 (24.67 米)
总长（不包括艇尖扶手）	79 英尺 7 英寸 (24.25 米)
船宽	18 英尺 11 英寸 (5.76 米)
吃水	5 英尺 8 英寸 (1.72 米)
排水量约	47.700 千克 (105.160 磅) *
油箱容量	1,320 加仑/1,585 美制加仑/6,000 升
水箱容量（包括热水器）	297 加仑/356 美制加仑/1,350 升

	
主要参数	
总长（包括艇尖扶手）	80 英尺 9 英寸 (24.67 米)
总长（不包括艇尖扶手）	79 英尺 7 英寸 (24.25 米)
船宽	18 英尺 11 英寸 (5.76 米)
吃水	5 英尺 8 英寸 (1.72 米)
排水量约	47.700 千克 (105.160 磅) *
油箱容量	1,320 加仑/1,585 美制加仑/6,000 升
水箱容量（包括热水器）	297 加仑/356 美制加仑/1,350 升

<div> <div>甲板装配</div> <ul style="list-style-type: none">下水平台、后甲板、飞桥、飞桥楼梯、两侧甲板和前甲板通道 自动三角翼锚, 50 千 克/110 磅, 配 100 米锚链 可逆液压起锚机, 配有前甲板、主驾驶台和飞桥控制器 两台Sterline电动系泊胶车 不锈钢缆绳桩、导索器和扶手栏杆 前甲板座位和日光浴区 储藏柜, 用于存放缆绳、防撞球和前甲板日光浴床垫子 电话连接点 船尾入坞灯 LED 甲板照明 甲板/锚淡水冲洗器</div>	<div> <div>右舷客舱</div> <ul style="list-style-type: none">带扩音器的自动雾笛 海图储藏柜 24 伏和 240 伏控制板 夜间红光照明 加固玻璃屏 (透明色便于夜视)</div>
<div> <div>甲板客厅</div> <ul style="list-style-type: none">U形座位区, 配双人沙发座椅和咖啡桌 娱乐系统配电动升降式 55 英寸高清 LED 电视和 DVD、配环绕音响系统的收音机/MP3 系统 配玻璃杯及瓶罐储藏阁和冰箱的餐具柜 独立用餐饭厅 (容纳 8 人), 带落地全景玻璃窗户</div>	<div> <div>左舷客舱</div> <ul style="list-style-type: none">两张单人床, 下方配抽屉 (可电动滑动拼接为双人床) 带衣架的衣柜 储藏柜 床头桌, 配储藏柜 配日常必需设施的套房卫生间</div>
<div> <div>厨房</div> <ul style="list-style-type: none">4 个炉头的陶瓷炉 组合式微波炉/带烤架的对流恒温烤箱 两个不锈钢水槽, 配冷水龙头 全身冰箱/冰柜 制冰机 洗碗机 储藏柜、橱柜和抽屉 船尾客厅的电动滑动玻璃隔板</div>	<div> <div>居住空间</div> <ul style="list-style-type: none">所有舱和卫生间均配可开合舷窗和空调冷气口 所有卧室均配 220/240 伏电源插座 所有床垫均为袋装弹簧式床垫 所有卫生间配备全套淋浴设施, 电动抽水马桶、换气扇和 240 伏剃须刀插座</div>
<div> <div>飞桥</div> <ul style="list-style-type: none">驾驶台, 配电动升降控制台和重复导航设备, 包括雷达/航海坐标仪和引擎仪器 可调整的双驾驶台座位 U 形沙发座椅, 配可折叠柚木桌 L 形沙发座椅 (可换为日光浴床) 日光浴区, 下方是储藏柜 收音机/MP3, 配防水扬声器 水吧, 包括水槽、电子烧烤架和冷藏箱 可选吊杆 (450 千克 SWL) 控制台和座椅外罩</div>	<div> <div>主卧舱</div> <ul style="list-style-type: none">大号双人床, 配床头桌, 床下有抽屉 化妆区配衣橱, 带悬挂式和抽屉式储藏柜 化妆台, 配椅子 甲板舱口 收音机/MP3 套房卫生间</div>
<div> <div>下驾驶台</div> <ul style="list-style-type: none">舵手可调整的电动双驾驶台座位 左舷L形座位 舵手侧甲板门, 设有电动可开合窗户 全套引擎仪器, 包括油量表、排气温度计、燃油污染报警装置, 以及舵角指示器 导航系统, 包括彩色雷达、GPS 导航仪和航海坐标仪 (2 个显示屏)、升高频电话、速度计和里程计、配报警装置的回声测深仪、自动驾驶仪和高速磁罗盘 船首推进器、挡风玻璃雨刮器、舱底排污泵和平衡板控制器 (带指示器) 飞桥通话系统</div>	<div> <div>内部装饰</div> <ul style="list-style-type: none">罗维尔 Rovere Oak 橡木家具, 可选配哑光或亮丽打磨效果, 可选胡桃木或者阿尔巴 (Alba) 橡木 所有客舱的卫生间均配实体面材台面和地板 厨房台面, 可选花岗岩或石英石 有各种高品质地毯和装潢材料可选择 所有窗户和通风口配窗帘、百叶窗或防蚊网 厨房和驾驶舱采用木地板</div>

<div> <div>后甲板</div> <ul style="list-style-type: none">U 形座位和可折叠柚木桌 两个通向下水平台的船尾门 (带可选电液压升降装置)、折叠下水梯和冷水淋浴 舱尾柚木座位, 带储藏柜 直接通向储藏室和船员区的船尾门 通向机舱的可锁气动杆辅助舱门 救生筏储藏柜 遥控可伸缩 4 米跳板, 带可折叠扶手 后甲板盖</div>	<div> <div>燃油系统</div> <ul style="list-style-type: none">两个油箱 (NS8 航海级合金) 互相连接, 总容量 1.320 加仑/1.585 美制加仑/6.000 升 位于甲板左舷和右舷的加油口 大容量燃油过滤器/水分离器, 配图像和有声燃油污染警报系统 后甲板储藏柜中的远程燃油开关</div>
<div> <div>淡水系统</div> <ul style="list-style-type: none">165.000 英热单位制冷系统, 冷气口覆盖所有卧室区域, 还可以通过连接的防风除霜系统进行反向循环加热。适用于热带气候条件 (40 ° C)</div>	<div> <div>空间</div> <ul style="list-style-type: none">机舱配备自动/手动灭火器, 上下驾驶台均配备报警系统, 并配有引擎空气通风口封闭系统 所有卧室、厨房、船员舱和主驾驶台配备手动灭火器</div>
<div> <div>舱底排污泵</div> <ul style="list-style-type: none">自动电动舱底排污泵 在相同区域配备大容量手动舱底排污泵, 带阀门系统和额外的吸水口</div>	<div> <div>其它标准配置设备</div> <ul style="list-style-type: none">餐具、陶器和玻璃杯组合 (8 套) 毛巾套装 (8 大 8 小) 旗帜杆 防撞球 (8 个) 和拖索 (4 根) 急救箱 各种手册</div>

<div> <div>甲板照明</div> <ul style="list-style-type: none">LED 甲板照明 甲板/锚淡水冲洗器</div>	<div> <div>燃油系统</div> <ul style="list-style-type: none">两个油箱 (NS8 航海级合金) 互相连接, 总容量 1.320 加仑/1.585 美制加仑/6.000 升 位于甲板左舷和右舷的加油口 大容量燃油过滤器/水分离器, 配图像和有声燃油污染警报系统 LED-Decksbeleuchtung Deck-/Ankerwaschanlage (Frishwasser)</div>
<div> <div>淡水系统</div> <ul style="list-style-type: none">165.000 英热单位制冷系统, 冷气口覆盖所有卧室区域, 还可以通过连接的防风除霜系统进行反向循环加热。适用于热带气候条件 (40 ° C)</div>	<div> <div>空间</div> <ul style="list-style-type: none">机舱配备自动/手动灭火器, 上下驾驶台均配备报警系统, 并配有引擎空气通风口封闭系统 所有卧室、厨房、船员舱和主驾驶台配备手动灭火器</div>
<div> <div>舱底排污泵</div> <ul style="list-style-type: none">自动电动舱底排污泵 在相同区域配备大容量手动舱底排污泵, 带阀门系统和额外的吸水口</div>	<div> <div>其它标准配置设备</div> <ul style="list-style-type: none">餐具、陶器和玻璃杯组合 (8 套) 毛巾套装 (8 大 8 小) 旗帜杆 防撞球 (8 个) 和拖索 (4 根) 急救箱 各种手册</div>

<div> <div>甲板照明</div> <ul style="list-style-type: none">LED 甲板照明 甲板/锚淡水冲洗器</div>	<div> <div>燃油系统</div> <ul style="list-style-type: none">两个油箱 (NS8 航海级合金) 互相连接, 总容量 1.320 加仑/1.585 美制加仑/6.000 升 位于甲板左舷和右舷的加油口 大容量燃油过滤器/水分离器, 配图像和有声燃油污染警报系统 LED-Decksbeleuchtung Deck-/Ankerwaschanlage (Frishwasser)</div>
<div> <div>淡水系统</div> <ul style="list-style-type: none">165.000 英热单位制冷系统, 冷气口覆盖所有卧室区域, 还可以通过连接的防风除霜系统进行反向循环加热。适用于热带气候条件 (40 ° C)</div>	<div> <div>空间</div> <ul style="list-style-type: none">机舱配备自动/手动灭火器, 上下驾驶台均配备报警系统, 并配有引擎空气通风口封闭系统 所有卧室、厨房、船员舱和主驾驶台配备手动灭火器</div>
<div> <div>舱底排污泵</div> <ul style="list-style-type: none">自动电动舱底排污泵 在相同区域配备大容量手动舱底排污泵, 带阀门系统和额外的吸水口</div>	<div> <div>其它标准配置设备</div> <ul style="list-style-type: none">餐具、陶器和玻璃杯组合 (8 套) 毛巾套装 (8 大 8 小) 旗帜杆 防撞球 (8 个) 和拖索 (4 根) 急救箱 各种手册</div>

<div> <div>甲板照明</div> <ul style="list-style-type: none">LED 甲板照明 甲板/锚淡水冲洗器</div>	<div> <div>燃油系统</div> <ul style="list-style-type: none">两个油箱 (NS8 航海级合金) 互相连接, 总容量 1.320 加仑/1.585 美制加仑/6.000 升 位于甲板左舷和右舷的加油口 大容量燃油过滤器/水分离器, 配图像和有声燃油污染警报系统 LED-Decksbeleuchtung Deck-/Ankerwaschanlage (Frishwasser)</div>
<div> <div>淡水系统</div> <ul style="list-style-type: none">165.000 英热单位制冷系统, 冷气口覆盖所有卧室区域, 还可以通过连接的防风除霜系统进行反向循环加热。适用于热带气候条件 (40 ° C)</div>	<div> <div>空间</div> <ul style="list-style-type: none">机舱配备自动/手动灭火器, 上下驾驶台均配备报警系统, 并配有引擎空气通风口封闭系统 所有卧室、厨房、船员舱和主驾驶台配备手动灭火器</div>
<div> <div>舱底排污泵</div> <ul style="list-style-type: none">自动电动舱底排污泵 在相同区域配备大容量手动舱底排污泵, 带阀门系统和额外的吸水口</div>	<div> <div>其它标准配置设备</div> <ul style="list-style-type: none">餐具、陶器和玻璃杯组合 (8 套) 毛巾套装 (8 大 8 小) 旗帜杆 防撞球 (8 个) 和拖索 (4 根) 急救箱 各种手册</div>

24 伏:

- 4 个用于发动机启动的持久电池
- 6 个持久辅助电池
- 2 x 60 安培充电器, 通过自动开关充电系统为双电池组充电

		
中文		
MAN V12-1800 (2 x 1.800 马力)	速度范围: 34-36 节†	

		
中文		
MAN V12-1800 (2 x 1.800 马力)	速度范围: 34-36 节†	

		
中文		
MAN V12-1800 (2 x 1.800 马力)	速度范围: 34-36 节†	

		
中文		
MAN V12-1800 (2 x 1.800 马力)	速度范围: 34-36 节†	

		
中文		
MAN V12-1800 (2 x 1.800 马力)	速度范围: 34-36 节†	

		
中文		
MAN V12-1800 (2 x 1.800 马力)	速度范围: 34-36 节†	

		
中文		
MAN V12-1800 (2 x 1.800 马力)	速度范围: 34-36 节†	

		
中文		
MAN V12-1800 (2 x 1.800 马力)	速度范围: 34-36 节†	

		
中文		
MAN V12-1800 (2 x 1.800 马力)	速度范围: 34-36 节†	

		
中文		
MAN V12-1800 (2 x 1.800 马力)	速度范围: 34-36 节†	

		
中文		
MAN V12-1800 (2 x 1.800 马力)	速度范围: 34-36 节†	

		
中文		
MAN V12-1800 (2 x 1.800 马力)	速度范围: 34-36 节†	

		
中文		
MAN V12-1800 (2 x 1.800 马力)	速度范围: 34-36 节†	

		
中文		
MAN V12-1800 (2 x 1.800 马力)	速度范围: 34-36 节†	

		
中文		
MAN V12-1800 (2 x 1.800 马力)	速度范围: 34-36 节†	

		
中文		
MAN V12-1800 (2 x 1.800 马力)	速度范围: 34-36 节†	

		
中文		
MAN V12-1800 (2 x 1.800 马力)	速度范围: 34-36 节†	

		
中文		
MAN V12-1800 (2 x 1.800 马力)	速度范围: 34-36 节†	

		
中文		
MAN V12-1800 (2 x 1.800 马力)	速度范围: 34-36 节†	

		
中文		
MAN V12-1800 (2 x 1.800 马力)	速度范围: 34-36 节†	

		
DEUTSCH		
MAN V12 1800 (2 x 1800 PS)	Geschwindigkeitsbereich: 34-36 Knoten*	

		
DEUTSCH		
MAN V12 1800 (2 x 1800 PS)	Geschwindigkeitsbereich: 34-36 Knoten*	

		
DEUTSCH		
MAN V12 1800 (2 x 1800 PS)	Geschwindigkeitsbereich: 34-36 Knoten*	

		
DEUTSCH		
MAN V12 1800 (2 x 1800 PS)	Geschwindigkeitsbereich: 34-36 Knoten*	

		
DEUTSCH		
MAN V12 1800 (2 x 1800 PS)	Geschwindigkeitsbereich: 34-36 Knoten*	

		
DEUTSCH		
MAN V12 1800 (2 x 1800 PS)	Geschwindigkeitsbereich: 34-36 Knoten*	

		
DEUTSCH		
MAN V12 1800 (2 x 1800 PS)	Geschwindigkeitsbereich: 34-36 Knoten*	

		
DEUTSCH		
MAN V12 1800 (2 x 1800 PS)	Geschwindigkeitsbereich: 34-36 Knoten*	

		
DEUTSCH		
MAN V12 1800 (2 x 1800 PS)	Geschwindigkeitsbereich: 34-36 Knoten*	

		
DEUTSCH		
MAN V12 1800 (2 x 1800 PS)	Geschwindigkeitsbereich: 34-36 Knoten*	

		
DEUTSCH		
MAN V12 1800 (2 x 1800 PS)	Geschwindigkeitsbereich: 34-36 Knoten*	

		
DEUTSCH		
MAN V12 1800 (2 x 1800 PS)	Geschwindigkeitsbereich: 34-36 Knoten*	

		
DEUTSCH		
MAN V12 1800 (2 x 1800 PS)	Geschwindigkeitsbereich: 34-36 Knoten*	



www.boatingfreedom.com | freedom@boatingfreedom.com
Vancouver 604.609.0985 | Sidney 250.940.9060 | 中文或粤语 604.235.1000